



I N F I N I T Y™



SIZE	ART. NO.	EAN NO.
7	8810-7	7340118321424
8	8810-8	7340118321448
9	8810-9	7340118321462
10	8810-10	7340118321363
11	8810-11	7340118321387

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 8810 INFINITY

Synthetic glove, winter-lined, nitrile foam, waterbased PU, palm-dipped, foam grip pattern, 10 gg, 15 gg, acrylic, fleece, nylon, spandex, Cat. II, black, yellow, withstands contact heat up to 100°C, DMF (DMFa) free, for allround work

### PROPERTIES

High level of protection, good fingertip sensitivity, flexible, durable, good grip, extra comfortable

### SPECIFICATION

TYPE OF GLOVE Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 7, 8, 9, 10, 11

COLLECTION Infinity

DIPPING Palm-dipped

DIPPING MATERIAL Nitrile foam, waterbased PU

LINING Winter-lined

LINING MATERIAL 10 gg, 15 gg, Acrylic, Fleece, Nylon, Spandex

DEXTERITY 5

GRIP PATTERN Foam grip pattern

CUFF STYLE Knitwrist cuff

COLOUR Black, Yellow

PAIRS PER PACKAGE/CARTON 6/120

DISPLAY Hook OUTER MATERIAL SPECIFICATION Nitrile, nylon

INNER MATERIAL SPECIFICATION Acrylic



## TEGERA® 8810 INFINITY

### FEATURES

Withstands contact heat up to 100°C, approved for handling foodstuffs, anatomically designed

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, drying out, chapping

### PRIMARY ENVIRONMENTS OF USE

Dry environments, cold environments, dirty environments

### PRIMARY AREAS OF USE

Airport work, building and construction, carpentry, construction, installation work, machine driving, machine operating, repair work, transport work, warehouse work

### PRIMARY INDUSTRIES OF USE



Machinery and equipment, MRO, transportation, utilities, building and construction, logistics

### TYPE OF WORK

Medium weight

2(3)

**CE** Cat. II

EN 420:2003 + A1:2009  EN 388:2016 4221X  EN 407:2004 X1XXXX

 EN 511:2006 X2X 

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-10

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

**TEGERA® 8810 INFINITY**

**EU-TYPE EXAMINATION**

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07  
France

**COMPLIANCE DESCRIPTION**

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	2	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

**EN 388 – Testing**

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 407:2004 Protective gloves against thermal risks (heat and/or fire)



EN 511:2006 Protective gloves against cold

Suitable for contact with foodstuffs, except for fatty foods

CONFIDENCE IN TEXTILES Tested for harmful substances according to Oeko-Tex® Standard 100



**CE** Cat. II

EN 420:2003 + A1:2009  EN 388:2016 4221X  EN 407:2004 X1XXXX

 EN 511:2006 X2X  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.